

352DS - INDUSTRIAL SINGLE PHASE



BOILER AND HEATER MAINTENANCE



BUILDING AND CONSTRUCTION



METALWORKING



SURFACE PREPARATION









- ✓ Compact and mobile
- ✓ Extractable collection container with optional use of disposable bags
- ✓ Two powerful by pass motors with independent cooling
- ✓ High filtration efficiency
- ✓ Additional HEPA filter (99,995% on 0,18 micron) included

- ✓ Accessory kit as standard
- ✓ Possibility to recover dust from power tools thanks to the automatic start/stop option
- ✓ 600 Watt electric socket for power tools connection
- ✓ Integrated filter cleaning system

SUCTION UNIT						
Voltage	V - Hz	230 - 50				
Power	kW	2,3				
Max waterlift	mmH2O	2500				
Max air flow	m³/h	360				
Suction inlet	mm	80				
Noise level (EN ISO 3744)	dB(A)	76				
FILTRATION UNIT						
Filter Type		Star				
Surface - Diameter	cm²-mm	20.000 - 420				

FILIRATION UNIT		
Filter Type		Star
Surface - Diameter	cm²-mm	20.000 - 420
Material - Efficiency	IEC 60335-2-69	Polyester - L
Air load on filter	m³/m²/h	180
Cleaning system		Manual

COLLECTION UNIT					
Discharge system		Roll-out container			
Capacity	lt.	35			

VOLUME		
Dimensions	cm	55x62x125h
Weight	kg	55





SUCTION UNIT

The suction is provided by two by-pass motors, using carbon brushes, operated by independent switches and placed inside a sturdy steel casing, filled with soundproofing material.



FILTRATION UNIT

It is possible to clean the filter using an integrated mechanical system: an external lever shakes the filter vertically and enables to clean the filter thoroughly and safely, maintaining constant suction performance and preventing any dispersion of dust in the environment. The large surface star filter, located inside the filter chamber, is made of polyester and provides high resistance against clogging and passage of fine dust.



COLLECTION UNIT

The vacuumed material is collected into a wheeled steel container, which can be extracted for easy disposal and can be used with optional disposable bags, for safer and handier disposal.



OPTIONALS

- ✓ REMOTE CONTROL
- ✓ CYCLONE FOR FILTER PROTECTION
- ✓ STAINLESS STEEL TANK AND FILTER CHAMBER
- ✓ STAINLESS STEEL COLLECTION TANK
- ✓ ANTISTATIC FILTER CLASS L
- ✓ ANTISTATIC FILTER CLASS M
- ✓ ABSOLUTE HEPA FILTER
- ✓ HEAT RESISTANT FILTER (UP TO 250° CELSIUS)
- ✓ PTFE COATED FILTER CLASS M
- ✓ EARTH GROUNDING